

Survitec Service & Distribution Ltd (Crewsaver)

Servicing / Technical bulletin number: 068

Issued to:

Date Issued: Dec 2021

Subject: Zip slider replacement.

Issued by: Guy Page (Technical)

Exp date: N/A

Fitting New zip sliders


To replace a zip slider on a QR Zip.

Parts required

Zip
replacement
kit



Tools
required




1. Lay the "open" jacket flat on a clean surface and find the side of the zip which contains the "Main" zip slider stop and the zip slider stop.



Survitec Service & Distribution Ltd (Crewsaver)

2. Carefully remove 2 of the locking posts (X) from the Zip stop and remove from the back



3. Slide on the new zip slider (Ensure you have it the correct way round)



4. Inside the zip you will find a U shape clip, place the U clip over the zip slider stop and crimp in place using a pair of pliers



The Zip is now ready to use.

Slider Kits

Code		Jackets
11096	ZIP SLIDER KIT FOR SEACREWSADER L/J	Seacrewsade 2010
11091	QBR No 5 ZIP SLIDER KIT	Seacrewsader 3D, Crewfit XD, Crewfit 180, Crewfit Sport

You can also wiggle the new zip slider back on to the zip.



Find the side of the zip with the "Main" zip slider stop.



Turn the zip at a 90-degree angle about 3ins for the "Main" zip slider stop.



Ensure the zip slider is the right way up and slowly wiggle it between the teeth.



Apply a steady pressure to the zip slider while moving it up and down, be careful not to break a tooth on the zip.



You will find the zip slider works its way back on the zip.



The Zip is now ready to use.

If you have any questions, please contact: -

Guy Page
Training and Technical Support Manager,
Survitec Group
guy.page@survitecgroup.com